Hazelwood Estates

Architectural Guidelines



Phase 3

I N

N

I

S

F

A

.

L





GUIDELINE REQUIREMENTS ACKNOWLEDGEMENT FORM



DATE:				COMMONITE)
PURCHASER/ BUILD	ER:			
TO: MALIBU COMMU 4836 51 ST . RED DEER, ALBERTA T4N 2A5 TEL: 403-340-4000 FAX: 1-866-316-936 ATTENTION: ARCHI	A	ΙΤ		
PLAN:	BLOCK:	LOT:		
ESTATES. AS THE PU Note: Malibu Commun	HAT I HAVE READ AND UN RCHASER/ BUILDER I WII ities reserves the right to mo	NDERSTAND THE CONTENTS LL ACT IN ACCORDANCE TO T	THESE GUIDELINES.	INES FOR HAZELWOOD rage a varied theme or character
(SIGNATURE OF PUF	RCHASER/ BUILDER)			
(WITNESS)				

<u>Index</u>

1.0 INTRODUCTION	3.0 LANDSCAPING			
1.1 Town of Innisfail StandardsPg. 2	3.1 Front Yard LandscapingPg. 4 3.2 FencingPg. 4			
1.2 Setbacks/ Separation SpacePg. 2				
1.3 Siting and Site CoveragePg. 2	4.0 OTHER IMPORTANT GUIDELINES			
1.4 Massing and Building HeightsPg. 2	4.1 SignagePg. 5			
1.5 Lot GradingPg. 3	4.2 Recreational Equipment and Commercials VehiclesPg. 5 4.3 Appearance During ConstructionPg. 5			
1.6 RepetitionPg. 3				
	4.4 GarbagePg. 5			
	4.5 Site InspectionPg. 6			
2.0 MATERIALS	5.0 APPROVAL PROCESS			
2.1 Roof MaterialsPg. 3	5.1 Initial SubmissionPg. 5			
2.2 Exterior Finishes & DetailsPg. 3	5.2 Interim Building ReviewPg. 6			
2.2 (B) Exterior Finishes & DetailsPg. 3	5.3 Final Building ApprovalPg. 6 5.4 Breach of GuidelinesPg. 6 5.5 Steps for Guideline ApprovalPg. 6			
2.3 ColorsPg. 4				
2.4 Corner LotsPg. 4				
2.5 Driveways and GaragesPg. 4	Architectural ClassificationsPg. 7			

Dear Home Owner/ Builders:

These Guidelines are in place to provide homeowners and builders with assistance and direction in the selection of design features, finishes, colors, house placement and setbacks. This in turn will help create an integrated, harmonious community with a high level of quality.

All homes must comply with the latest versions of the Towns Bylaws. It is the Owner/Builders responsibility to ensure that all information with in these guidelines are current.

1.0 INTRODUCTION

Nestled against Dodd Lake, Hazelwood Estates is a luxury Community with exceptional recreational facilities. You can enjoy the sun setting on lake, go for a canoe ride or go for a round of golf at the nearby Innisfail Golf and Country club.

Hazelwood Estates is a master planned community with distinctive architecture, built with a special attention to the surrounding attributes such as Dodd's Lake and the golf course and nearby campground.

1.1 TOWN OF INNISFAIL STANDARDS

Formal standards for development will be those as established in the Town of Innisfail Land Use Bylaw. Conformity with these guidelines does not supersede the required approval process of the Town of Innisfail.

1.2 Setbacks/Separation Space

Minimum setbacks for all side yards will conform to those established by the Town of Innisfail.

The position of each home in relationship to its property lines and neighbors will create varied front yards and pleasing streetscapes. Each lots' access and views have been explored for the most advantageous placement of the home. The following setbacks are measured from the property line to the siding or exterior finish and not to foundation.

1.3 Siting and Site Coverage

The maximum site coverage is 40% for R-1C and 50% for an R2, with attached garage as per the Town Bylaw. The siting of dwelling units shall reflect the site attributes of topography, views, exposure to sunlight and the need for privacy. Lots should be examined to encourage siting such that proper lot drainage is achieved.

Development Standards for R-1C and R2:

*Minimum Front Yard: 6 m(20ft)

*Minimum Side Yard: 1.5m (5ft) ;except on street side of corner site 3m(10ft)

*Minimum Rear Yard R-1C: 8m (26ft) Minimum Rear Yard R2: 7.5m (25ft) ;except where the lot backs directly onto another lot minimum 9m (30ft)

1.4 Massing and Building Heights

The maximum building height is 9.5 m(31ft). The minimum roof pitch is 5:12 (2-Story) and 6:12 (Bungalow). The intent is to provide an overall site composition of sloped roofs while allowing for an expression of uniqueness for individual residences and the internal functions of each house. Houses within the same street or cul-de-sac are to have a consistency of apparent volume; i.e. smaller homes cannot go directly beside larger homes.

- **CLASSIC** Minimum floor area is 950ft² for bungalow or bi-level and 1300ft² for 2 storey. The first floor of a 2 storey house should have a minimum of 650ft².
- **PREMIUM** Minimum floor area is 1100ft² for bungalow or bi-level and 1500ft² for 2 storey. The first floor of a 2 storey house should have a minimum of 750ft².
- **ESTATE** Minimum floor area is $1300 ft^2$ for bungalow or bi-level and $1700 ft^2$ for 2 storey. The first floor of a 2 storey house should have a minimum of $850 ft^2$.

1.5 Lot Grading

Lot grading is to follow the natural slope of the landform and is to be consistent with the Subdivision Grading Plan. The minimum slope allowed is 2% and the maximum slope is 5%. Placement of landscape materials and/or berms must not alter the drainage pattern for the lot as defined in the Grading Plan. Designers are to design appropriate house types to alleviate potential conflicts to surface drainage between adjoining lots, open spaces and the driveway slopes. Shut off water valves must be flush with the final grade. Final grade certificates must be prepared by a Surveyor showing that lots grades comply with the Subdivision Grading Plan as a condition for refund of security deposit.

1.6 Repetition

Designs with approximately identical house elevations may not be repeated more often than every sixth house on either side of the street. To be different means that there is a significant change in feature such as roof slopes, size and location of windows and doors, colors and finish materials. A change of material alone and reversing the plan is not sufficient.

2.0 MATERIALS

2.1 Roof Material

Lots will require an architecturally controlled asphalt shingle. Other roof finishes may be considered if it can be shown by the applicant that these are in keeping with the overall objectives of these guidelines.

All roof stacks, flashing, etc. are to be painted out to match roof color. All fascia board ends are to be cut within 10 degrees of vertical.

Rainwater leaders, eaves troughs and fascias should match the trim color as selected. Soffits are to be prefinished metal on houses with vinyl or aluminum siding and wood on houses with wooden siding.

Overhangs on upper levels are recommended to be 1' to 1'6", and on lower levels are to be 2'.

2.2 Exterior Finishes & Details

Each home shall be constructed with a combination of decorative details and materials to achieve a Craftsmen charm. Minimum requirements for Phase 3:

(Premium and Estate) Include:

- *Welcoming Verandas
- *Posts: Boxed /Tapered Posts
- *Stone/Brick coverage on front elevation
- *Window Grills
- *Batten Boards and Shutters
- *Gable Ends:
 - Vinyl Shake Smart board Plywood- Decorative Trim
 - Corbels-Build Outs
- *Driveways- Stamped Boards
- *Fencing

***SEE ARCHITECTURAL REFERENCE SHEET FOR DETAILS

2.2 (B) Exterior Finishes & Details

See Architectural Reference Sheet for details.

Exterior siding is to be double four vinyl siding with 4"-5" exposed profile. Stucco may be used but only with a sand float or California Style finish and only in combination with sufficient contrasting details. Fascia boards are required in a color complementary to the siding or to match the trim color.

Window openings are to have 4" trim boards, painted or stained to match house trim. As alternatives to 4" trim boards, moldings, window boxes and window shutters, will be considered. Window elements and decorative panels will be considered a means of

Garages are to be located in accordance with the Driveway plan. (Refer to map on page 7 for locations). They are to be finished in similar design and materials to the house. Garage doors are to be painted or stained wood. Aluminum doors are allowed provided that they have the appearance of wood (painted) and are complementary to the style of the house.

2.3 Colors

All exterior and accent color schemes will be reviewed by the Architectural Committee for approval. Houses with schemes that detract from the street will be rejected. It is preferred that a variety of materials be used on any one street.

Color selection should compliment the streetscape but cannot be the same as adjacent houses. Color schemes are to be complimentary and co-ordinated, including the siding, trim, roof, garage, entry doors and fencing. Stucco must be colored to avoid discoloration therefore white stucco is not allowed.

2.4 Corner Lots

Bungalows are preferred on corner lots. All other housing types must have a significant single storey profile on the street side and are subject to approval on an individual basis. Buildings on corner sites must address all facing streets and the building should turn the corner. The flankage exterior elevation must display an appropriate use of the design elements featured elsewhere on the house.

2.5 Driveways and Garages

Desirable slopes of driveways are 5% or less. Absolute maximum driveway slopes are 10%. Driveways and front walks should have a minimum of stamped borders.

All Estate Lots are required to have a minimum two-car garage. Driveways are to be located in accordance with the Driveway Plan.

3.0 LANDSCAPING

3.1 Front Yard Landscaping

All homeowners are encouraged to complete the installation of sod and additional landscaping, within 12 months of the completion of the home. Landscaping of the front yards should be designed to enhance individual homes and specific sites. Plants should be chosen from species which complement house colors and neighboring lots. The landscaping grade plan must always slope away from the house and be integrated into the subdivision drainage system, and not drain into any portion of the neighboring lots.

3.2 Fencing

All fencing within the subdivision will be coordinated in terms of both design and stain, and indicate which option will be used on the plans. Areas designed for chain-link fencing areas must be of specific chain-link pattern and color provided by Malibu Communities.

Front Yards: fences at front yards will be prohibited except for ornamental fencing to a maximum height of 1.0m which may be allowed when constructed in accordance with the design of a home.

Side Yards: fence heights are limited to 6ft high and are to be consistent with the visual character of the subdivision.

Rear Yards: fencing is mandatory and required with heights limited to 6ft high and are to be consistent with the visual character of the subdivision. Specific patterned, fencing is mandatory for lots backing onto lakes, parks and/or green space. These fences are the responsibility of the builder or individual homeowners to construct and maintain.

4.0 OTHER IMPORTANT GUIDELINES

4.1 Signage

All "For Sale" signs to be the approved standard format. Both temporary and permanent signage will be coordinated and approved by Malibu Communities.

Signs are only allowed to be placed on Lots in which you have Purchased.

4.2 Recreational Equipment and Commercial Vehicles

Recreation vehicles and commercial vehicles in excess of ¾ ton capacity shall not be stored in the front yard or driveway of any property between the building line and the curb, and, if otherwise stored on the property, shall be screened to reduce unattractive visibility of such vehicles or equipment from abutting streets and adjacent homes.

4.3 Appearance During Construction

The Builder and/or Owner is required to keep the lot clean and orderly during construction. Weekly inspections of the Lots will be carried out by Malibu Communities. Any builder found to be un-orderly will be contacted immediately and subject to fines.

4.4 Garbage

No garbage, rubbish or trash shall be kept upon any lot except in covered receptacles.

Any Builder and/ or owner found with garbage/ slumps or dumping of excess materials/ dirt in non designated areas will receive a written notice and be subject to fines as noted below.

If items noted in the written notice to the Builder have not been cleaned up within two weeks of written notice the Builder will be fined \$500.00 per offence.

4.5 Site Inspection

Each purchaser must inspect prior to commencing construction (at the time of permit availability), the condition of the local improvements completed by the developer. These improvements include such items as; curb & gutter, sidewalks, roadways, streetlights, fire hydrants, ect. Written notice of any damages must be noted on the First Lot inspection report at this time, otherwise the cost of repair will be the sole responsibility of the purchaser.

5.0 APPROVAL PROCESS

5.1 Initial Submission

In addition to the rules in these guidelines, all builders are responsible for ensuring that all homes meet the requirements of the Town of Innisfail Land use Bylaw and Alberta Building Code.

The design review process is intended to work together with the builders to ensure a quick approval of submissions. If designs adhere to the approved building forms and incorporate the approved Architectural Coordinates, review of individual submissions will be prompt.

Prior to making application for building permits, the Builder shall submit in triplicate, the following information to Malibu Communities along with a security deposit as per Schedule B of the Purchase Agreement.

	8	CI	,				,
□ and	A site plan identifying d driveway slope at 1:1	_					
	A plan of the proposed ce option	d fron	t yard	landscaping for	the lot an	d indic	ation of
	A completed Applicat	on Fo	rm fo	r House Plan Ap	proval (in	dicatin	g colors,

materials and other specific information as requested in the form)

Drawings of the house (plans elevation sections at 1.50 or $\frac{1}{4}$ "=1'0")

The Malibu Architectural Committee shall review the plan and recommend approval or rejection of the application based on the adherence of the plans to the guidelines. A copy of the application form and a marked-up set of plans shall then be made available to the Builder. The original application form and one set of similarly marked prints will be kept for future reference.

5.1 Initial Submission cont.

The Builder is to pick up, from the Architectural committee, 2 copies of the approved plans and application and is to submit one copy of the approved home plan drawings to the Town of Innisfail for building permits.

5.2 Interim Building Review

Malibu Architectural Committee may carry out an on-site review of the home during construction. Periodic checks may be made to ensure conformance to approved grading plans and development guidelines. Modifications may be requested related to actual site conditions.

5.3 Final Building Approval

Upon being advised by the Builder of the completion of the home, Malibu Architectural Committee shall carry out a site review to confirm conformance to the Guidelines and the approval previously granted.

The final inspection and request for approval will form the basis of a recommendation to Malibu Communities regarding the refund of the security deposit.


5.4 Breach of Guidelines

In the event of any breach of any one or more of the above guidelines, terms and specifications, the developer, shall have the right but shall not be obligated, to enter upon any lot and abate and cure at the expense of the owner of the lot who is in such breach. The Owner shall pay the Developer forth with upon demand all cost incurred by the Developer. These costs may be collected by the Developer in a court of competent jurisdiction or deducted from the security deposit a the Developer's discretion.

Any changes by the Builder from approved plans must be submitted to:
Malibu Communities
4836 – 51 Street
Red Deer, AB T4N 2A5
Attention: Malibu Architectural Committee
Incomplete applications will be returned to the Builder.

5.5 Steps for Guideline Approval

Submit House plan Application with 3 Drawings and Plot plans to Architectural Committee Plans & Application Approved by Architectural Committee Pay Security Deposit as per Schedule "B" Plans delivered to the Town to obtain a building permit House construction begins House completed, request for final approval submitted to the Architectural Committee along with Builder final inspection report. Final approval of compliance issued by Architectural Committee Deposit Refunded Subject to approval





* 6' Vinyl fencing is required in this Phase 3

Block 7 Lots 61-84

LEGEND

- Existing Development

 Multifamily

 Single Family (R2)
 - Single Family (R1B)
 Single Family (R1C)
 - Park Space (MR)
- BLOCK 7 Block # Lot #
 - 0000 Civic Address
 - Phase Boundary
 - Transformer
 - Street Lights
 - → Garage Locations
 Pedestal
 Fire Hydrant

Page 7

Hazelwood Estates



Malibu Communities®

4836 - 51 Street

Red Deer, AB

T4N 2A5

Tel: 403.340.4000/403-588-7222

Fax: 1.866.316.9367 (toll free)

<u>submissions@malibucommunities.com</u>