
## Town of Blackfalds **BUILDING GRADE CERTIFICATE** Issued by: WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. LANE, P.U.L. or M.R. 2% MIN STREET STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SPLIT DRAINAGE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE 2½ MIN LANE, STŔĘĔŤ BACK TO FRONT ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. DRÁINÁGE′ ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. M.R. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. RÉARÝARD MIN STREET LÁNE, P.U.L. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG. ′BASÉMENT WAĹKOÚT PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF BLACKFALDS .2% MIN SPĹIT DRAINAGE ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY. VISTA CLOSE 1.50m RLLD MONOWALK (TYP) 2.50m BLVD



LOWEST TOP OF FOOTING DETERMINED BY SANITARY SERVICE. SUMP PUMP MAY BE REQUIRED. GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY, STORM & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING:  MAX. DEPTH BELOW AVERAGE SIDEWALK =  LOWEST ELEVATION = 880.63	2.09	CIVIC ADDRESS: 18 VISTA CLOSE	
		LOT: 5 BLOCK: 4 PLAN	No.: 142 3984
		DEVELOPER: MALIBU COMMUNITIES LTD.	SCALE:1:500
AS-BUILT SEWER INVERT ELEVATIONS:  SANITARY AT 5.0m INSIDE LOT =		DRAWN BY: STANTEC CONSULTING LTD.	DATE: DEC 17, 2014
	879.78	APPROVED BY:MICHAEL DARTNELL	DATE: DEC 18, 2014
	N/A	RECEIVED BY:	DATE:
DESIGN LANDSCAPE ELEVATIONS	I CERTIFY THAT	THE FINAL LANDSCAPE GRADE WILL BE (FRON	T)

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 883.07
ELEV. AT REAR OF HOUSE = 882.57
SIGNATURE OF OWNER OR REPRES

> DRIVEWAY